

# ASSEMBLY & INSTALLATION INSTRUCTIONS

*American  
Standard*


## SKYLINE WASHSTAND 9425.200.322

Thank you for selecting our products...products which have been the benchmarks of fine quality for over 100 years. To help insure that the installation process will proceed smoothly, please read these instructions carefully before you begin. Also, review the recommended tools and materials list; carefully unpack and examine your new plumbing fixture.


### Recommended Tools & Materials



Adjustable Wrench




Plumbers' Putty  
or Caulking




Hacksaw



Phillips Screwdriver



Regular Screwdriver



Drill




Channel Locks



Putty Knife



Pipe Wrench





Tape Measure



Level

0282.008 RETROSPECT WASHSTAND TOP  
9425.200.322 SKYLINE WASHSTAND



7301081-100A

Product names listed herein are trademarks of American Standard Inc.  
© American Standard Inc. 2014


7301081-100 Rev. A

# 1

## SINK AND WASHSTAND INSTALLATION



Note: If replacing an existing sink be certain to shut off water supply before removing old sink. If installing in a new bathroom follow rough-in diagram to locate rough supply, waste lines.

Provide suitable reinforcement behind finished wall for sink hanger screws. For an installed sink height of 35-3/4", center the reinforcement 28-3/4" above the floor.



# 2


- 1) Unpack unit carefully.
- 2) Pull left and right sides apart as shown in **Figure 2** to fully extend Skyline Washstand.
- 3) Place shelf shown in **Figure 3**, on top of shelf rest and spring clips.
- 4) Shelf should secure itself into spring clips located on washstand and lock into place. Make sure shelf is locked into position. Spring clips on shelf and washstand should be fully engaged (see **Figure 4**).
- 5) Move washstand into approximate position near the wall.
- 6) Place sink on washstand, aligning the tapered ends of the front legs with the recesses in the underside of the front of the sink.
- 7) Place a level on the cabinet and use the four independently adjustable washstand feet to level the assembly both side-to-side and front-to-back.
- 8) Place the level on the sink. If adjustment is required, either front-to-back or side-to-side, remove the sink, place one or more of the adhesive-backed cushions on the top surfaces of any of the legs as appropriate, and replace the sink to verify.
- 9) Move the assembly into contact with the wall.
- 10) With a pencil, mark through the center of the two mounting holes found on the back of the sink (see **Figure 1, VIEW "A"**).
- 11) Move the assembly well clear of the wall.
- 12) Drill two pilot holes at the center marks using a 1/4" bit. Bore in 1" deep.
- 13) Thread the two 5/16" headless hanger screws into the pilot holes leaving 1-7/8" thread exposed in front of the wall.



# 3


Following manufacturer's instructions, install faucet and drain assembly (not included) in sink. Be certain to apply a bead of sealing putty on the underside of the drain to ensure a watertight seal between the sink and the drain. Remove excess putty immediately after tightening drain.

Move the assembly back toward the wall, guiding the sink over the two headless hanger screws. Place washers over studs and firmly hand-tighten nuts onto each.



Connect the trap to drain assembly hand tight to check alignment. It may be necessary to cut off part of the tailpiece (area "B") or part of the horizontal leg of the trap (area "C").

Connect hot and cold supply lines between the fitting valve and the supply shut-off valves. Tighten trap joints for watertight assembly. Apply a bead of caulk around the back edge of the sink where it contacts the wall.



**CARE INSTRUCTIONS:** Rinse the product clean with clear water. Dry with a soft cotton flannel cloth.

**DO NOT:** Clean with soaps, acid, polish, abrasives, harsh cleaners, or a cloth with coarse surface.

#### AS AMERICA, INC. ONE YEAR LIMITED WARRANTY

If inspection of this AS America, Inc. ("American Standard") plumbing product, within one year after its initial purchase, confirms that it is defective in materials or workmanship, American Standard will repair or, at its option, exchange the product for a similar model.

This limited warranty applies only to the original purchaser and installation of these products. In the event of a limited warranty claim, proof of purchase will be required—save sales receipt.

This limited warranty does not apply to local building code compliance. Since local building codes vary considerably, the purchaser of this product should check with a local building or plumbing contractor to insure local code compliance before installation.

This limited warranty is void if the product has been moved from its initial place of installation; if it has been subjected to faulty maintenance, abuse, misuse, accident or other damages; if it was not installed in accordance with American Standard's instructions; or if it has been modified in a manner inconsistent with the product as shipped by American Standard.

American Standard's option to repair or exchange the product under this limited warranty does not cover any labor or other costs of removal or installation. IN NO EVENT WILL AMERICAN STANDARD BE LIABLE FOR THE COST OF REPAIR OR REPLACEMENT OF ANY INSTALLATION MATERIALS, INCLUDING BUT NOT LIMITED TO, TILES, MARBLE, ETC. American Standard will not be responsible for any other incidental or consequential damages attributable to a product defect or to the repair or exchange of a defective product, all of which are expressly excluded from this limited warranty. This limited warranty does not cover any liability for consequential or incidental damages, all of which are hereby expressly disclaimed, or the extension beyond the duration of this limited warranty of any implied limited warranties, including those of merchantability or fitness for an intended purpose. (Some states or provinces do not allow the exclusion or limitation of implied limited warranties, so this exclusion may not apply to you.)

This limited warranty gives you specific legal rights. You may have other statutory rights that vary from state to state or from province to province, in which case this limited warranty does not affect such statutory rights.

#### AS AMERICA, INC. BATH FURNITURE/LAMINATED MARBLE TOPS LIMITED WARRANTY

If inspection of this AS America, Inc. ("American Standard") plumbing product, within one year after its initial purchase, confirms that it is defective in materials or workmanship, American Standard will repair or, at its option, exchange the product for a similar model. Variations in actual wood color and finishes which may result from natural characteristics of the wood, such as grain patterns, mineral streaks and the like, are not defects and are not covered by this limited warranty.

For laminated marble tops variations in shading, veining, and texture which may result from natural characteristics of stone and as such are not defects and are not covered by this limited warranty.

This limited warranty applies only to the original purchaser and installation of these products. In the event of a claim, proof of purchase will be required—save sales receipts.

This limited warranty does not apply to local building code compliance. Since local building codes vary considerably, the purchaser of this product should check with a local building or plumbing contractor to insure local code compliance before installation.

This limited warranty is void if the product has been moved from its initial place of installation; if it has been subjected to faulty maintenance, abuse, misuse, accident or other damages; if it was not installed in accordance with American Standard's instructions; or if it has been modified in a manner inconsistent with the product as shipped by American Standard.

American Standard's option to repair or exchange the product under this limited warranty does not cover any labor or other costs of removal or installation, nor shall American Standard be responsible for any other incidental or consequential damages attributable to a product defect or to the repair or exchange of a defective product, all of which are expressly excluded from this limited warranty. This limited warranty does not cover any liability for consequential or incidental damages, all of which are hereby expressly disclaimed, or the extension beyond the duration of this limited warranty of any implied limited warranties, including those of merchantability or fitness for an intended purpose. (Some states or provinces do not allow the exclusion or limitation of implied limited warranties, so this exclusion may not apply to you.)

This limited warranty gives you specific legal rights. You may have other statutory rights that vary from state to state or province to province, in which case this limited warranty does not affect such statutory rights.

##### **In the United States:**

American Standard Brands  
P.O. Box 6820  
Piscataway, New Jersey 08855  
Attention: Director of Customer Care  
For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 442-1902  
[www.americanstandard.com](http://www.americanstandard.com)

##### **In Canada:**

AS Canada, ULC  
5900 Avebury Rd.  
Mississauga, Ontario  
Canada L5R 3M3  
Toll Free: (800) 387-0369  
[www.americanstandard.ca](http://www.americanstandard.ca)

##### **In Mexico:**

American Standard B&K Mexico  
S. de R.L. de C.V.  
Via Morelos #330  
Col. Santa Clara  
Ecatepec 55540 Edo. Mexico  
Toll Free: 01-800-839-1200  
[www.americanstandard.com.mx](http://www.americanstandard.com.mx)