

**SULLIVAN™ 33 x 22 STAINLESS STEEL
KITCHEN SINK KIT**

❑ **20CR.332282C.075** Double Bowl Kit includes:

- ❑ **Offset Stainless Steel Double Bowl Sink**
- 20 Gauge Stainless Steel
 - Top mount installation with hardware included
 - SoundSecure™ Sound pads
 - StoneLock™ undercoating
 - 36" (914mm) cabinet required
 - Limited Lifetime Warranty

Nominal Dimensions:

33" x 22" x 8"
(837 x 558 x 203mm)

Large Bowl Size:

15-7/16" (392mm) wide
18-3/8" (467mm) front to back
8" (203mm) deep

Small Bowl Size:

12-11/16" (322mm) wide
16-1/4" (412mm) front to back
8" (203mm) deep

❑ **Stainless Steel Pullout Faucet
with soap dispenser**

- 1.8 gpm
- 2 Function stream and spray with pause button
- Ceramic disc valve cartridge for drip free performance
- Lead Free: Faucet contains $\leq 0.25\%$ lead content by weighted average
- Limited Lifetime Warranty

❑ **Waste Fittings**

- Includes 2 coordinating stainless steel drains and strainers
- Standard 3-1/2" (89mm) diameter
- One Year Limited Warranty



SEE REVERSE FOR ROUGHING-IN DIMENSIONS
AND PRODUCT SPECIFICATIONS


Suggested Specifications:

- ❑ Color: Stainless Steel .075
- ❑ Faucet Finish: Stainless Steel .075
- ❑ Waste Fitting Finish: Stainless Steel .075
- ❑ Supplies: 1/2" (13mm) IPS Inlets

**Compliance Certifications - Meets or Exceeds
the Following Specifications:**

- **SINK:**
ASME A112.19.3
- **FAUCET:**
ASME A112.18.1
CSA B125.1
NSF 61/Section 9
NSF 372

**SULLIVAN™ 33 x 22 STAINLESS STEEL
KITCHEN SINK KIT
20 GAUGE STAINLESS STEEL**



NOTES:

NOTES:
WE RECOMMEND USING BASIN AS A TEMPLATE TO DETERMINE PROPER CONTOUR. CUT COUNTERTOP 38MM (1-1/2") INSIDE BASIN CONTOUR.
* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIED AND "P" TRAP ARE SUGGESTED.
SEALING COMPOUND SUPPLIED BY OTHERS.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.3. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.