

Rumson™ Chair Height Elongated Complete Toilet

BARRIER FREE

VITREOUS CHINA

Rumson™ Chair Height Elongated Complete Toilet with EverClean®

☐ 719AA101

- Reliable performance with a powerful flush that is quick and quiet
- Vitreous china made toilet meets definition fo High Efficiency Toilet (HET), uses 1.28 gpf/4.8 Lpf consumption, and meets EPA WaterSense® criteria
- Generous 9" x 8" water surface area with PowerWash® rim that scrubs the bowl with each flush
- 3" flush valve with fully-glazed 2" trapway
- 12" rough-in toilet with 16-1/2" rim chair height bowl for accessible applications
- Includes no-tools, EZ-Install floor bolts, wax ring and color match bowl caps kit
- Includes EverClean® surface that inhibits the growth of bacteria, mold and mildew
- · Includes slow-close seat and lid
- Chrome finish trip lever is supplied (other finishes available as special order)
- Obtains best 1,000g MaP flush score** at 1.28 gpf
- Industry-leading lifetime warranty on chinaware, 5 year warranty on all mechanical parts and 1 year warranty on seat
- ☐ 7381907-200.XXXA Left-hand trip lever Finishes: 2950A Brushed Nickel GN00A Cool Brush Sunrise

Nominal Dimensions:

30-1/4" x 18" x 30-5/8" (768 x 457 x 778mm)


Compliance Certifications - Meets or Exceeds the Following Specifications:

- ASME A112.19.2/CSA B45.1 for Vitreous China Fixtures
- US EPA WaterSense® Specification for HETs

To Be Specified:

- □ Color: □ White (020)
- ☐ Supply with Stop:





NOTES:

THIS COMBINATION IS DESIGNED TO ROUGH-IN AT A MINIMUM DIMENSION OF 305MM (12") FROM FINISHED WALL TO C/L OF OUTLET.
SUPPLY NOT INCLUDED WITH FIXTURE AND MUST BE

* DIMENSIONS SHOWN FOR LOCATION OF SUPPLY ARE SUGGESTED.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ASME Standard A112.19.2.

These measurements are subject to change or cancellation. No responsibility is

These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



MEETS THE AMERICANS WITH DISABILITIES ACT GUIDELINES AND ICC ANSI A117.1 REQUIREMENTS FOR ACCESSIBLE AND USABLE BUILDING FACILITIES-CHECK LOCAL CODES.





© 2025 AS America Inc.

^{**} Maximum Performance (MaP) testing performed by IAPMO R&T Lab. MaP Report conducted by Gauley Associates Ltd. and Koeller and Company.