



T184.508 Bath/Shower Trim Shown

GENERAL DESCRIPTION:

SHOWERHEAD

Water saving 2-function showerhead offers 20% water savings at maximum 2.0 gpm/7.6 L/min. flow rate.

WALL TUB SPOUT

Metal slip-on diverter spout.

WALL VALVE TRIM


Available with metal lever handle.
 Metal wall escutcheon.

MODEL NUMBER:

TRIM KITS:

- T184.508 Times Square BATH/SHOWER Trim Kit**
 Lever handle. FloWise showerhead. LESS valve body.
- T184.507 Times Square SHOWER ONLY Trim Kit**
 Lever handle. FloWise showerhead. LESS valve body.

For use with R110 Series Pressure Balance Valves.
See reverse side for available Rough Valves.



SUGGESTED SPECIFICATION

Bath/shower fitting shall feature water saving 2-function showerhead with Max. 2.0 gpm/7.6 L/min. flow rate. Fitting shall be: American Standard - Trim Kit Model # T184.50_._._ and Valve Body Model # R11_.


CODES AND STANDARDS

These products meet or exceed the following codes and standards:

ANSI A117.1 / ASSE 1016
ASME A112.18.1 / CSA B125.1



MODIFICATIONS		Parts Suffix*
IPS Spout		__IPT
Factory Installed Decal Ring (Red/Blue)		__WD



*To modify a product, add suffix after the 4th digit (ex. T064**ITP**502.002)

TRIM KITS *	Product Number	Description	* TRIM & ROUGH MUST BE ORDERED SEPARATELY.		Finish Options	
			Polished Chrome	PVD Brushed Nickel	Polished Chrome	PVD Brushed Nickel
					002	295
T184.508	Bath/Shower Trim Kit. Metal lever handle. FloWise® showerhead. LESS valve body.					
T184.507	Shower Only Trim Kit. Metal lever handle. FloWise showerhead. LESS valve body.					

ROUGH VALVE BODIES	Product Number	Description
	R111	Rough Valve Body less trim. Universal inlets/outlets.
	R111SS	Rough Valve Body less trim. Universal inlets/outlets with Screwdriver Stops.
	R110	Rough Valve Body less trim. Direct sweat inlets/outlets.
	R110SS	Rough Valve Body less trim. Direct sweat inlets/outlets with Screwdriver Stops.
	R115	Rough Valve Body less trim. Female Thread inlets/outlets.
	R115SS	Rough Valve Body less trim. Female Thread inlets/outlets with Screwdriver Stops.
	R117	Rough Valve Body less trim. PEX inlets/universal outlets for Crimp Ring PEX system (ASTM F1807).
	R117SS	Rough Valve Body less trim. PEX inlets/universal outlets for Crimp Ring PEX system (ASTM F1807) with Screwdriver Stops.
	R118	Rough Valve Body less trim. PEX inlets/universal outlets for Cold Expansion PEX system (ASTM F1960).
	R118SS	Rough Valve Body less trim. PEX inlets/universal outlets for Cold Expansion PEX system (ASTM F1960) with Screwdriver Stops.
R119	Rough Valve Body less trim. CPVC inlets/universal outlets.	
R119SS	Rough Valve Body less trim. CPVC inlets/universal outlets with Screwdriver Stops.	

Meets the American Disabilities Act Guidelines and **ANSI A117.1** Requirements for the physically challenged.