


JAPANESE TILE WORLD

HOSOWARI NORMAL

Simple, modern, long-selling tile with the beauty of straight lines created by the fine sprit tiles.





HAL-20BN/HB-1



HAL-20BN/HB-6, HAL-20BN/HB-1



HAL-20BN/HB-6

FIELD



HB-1
Light Beige



HB-3
Beige



HB-5
Brown



HB-6
Dark Brown



HB-7
Light Dark Brown



HB-11
White



HB-12
Deep Brown




HB-13
Black

Field Tile

HAL-20BN/HB-1...HB-13

Material	Porcelain/Unglazed
Size/pc	235×19.5 mm / 9.25"×0.77"
Size/sht	237×303 mm / 9.33"×11.93"
Thickness	13.5 mm
Joint	2.1 mm (Hor) / 2 mm (Vert)
Sqr/Box	1.00 sqm / 10.76 sq.ft.
Qty/Box	14 shts
Wgt/Box	20.5 kg / 45.1 lbs
Mounting	Back net (Glass fiber)



Modular Size

TRIM/CORNERS

90° External Corner

HAL-20BN/90-14/HB-1...HB-13

Material	Porcelain (Unglazed)
Size/pc	(80+125.5)×19.5 mm / (3.15+4.94)"×0.77"
Size/sht	(82+127.5)×303 mm / (3.23+5.02)"×11.93"
Thickness	13.5 mm
Joint	2.1 mm (Hor) / 2 mm (Vert)
m.ft/Box	3.63 m / 11.91 ft.
Qty/Box	12 shts
Wgt/Box	14.6 kg / 32.2lbs
Mounting	Back net (Glass fiber)



RECOMMENDATIONS

Commercial Wall	Interior Wall	Shower Wall	Exterior Floor	Shower Floor
Yes	Yes	No	No	No

SHADE VARIATIONS

—	—	HB-1, HB-3, HB-5, HB-6, HB-7, HB-11, HB-12, HB-13	—

*Please note: variations in color, shade, surface texture and size are natural characteristics of all our products and should be expected. Images shown are representative, but may not indicate all variations in these characteristics.

MAINTENANCE

- First, clean tiles with a damp sponge or soft brush with plain water prior to utilizing
- If dirt persists, wipe the area with mild detergent and water on a sponge or soft brush. Rinse with clean water.
- Do not use acid or alkaline solution to clean tile.
- Do not use steel pads or brushes to clean tile as it may cause surface damage.
- Paint or graffiti can be removed using thinners.
- Consult professional service for more extensive cleaning needs.

For more details,
please visit our website.

