

JAPANESE TILE WORLD

RHYTHMIC II

Geometric 3D tiles with two uniquely shaped pieces arranged in a rhythmic pattern.





HAL-20B/RYS-1



HAL-20B/RYS-3



HAL-20B/RYS-2

FIELD



RYS-1
White



RYS-2
Brown




RYS-3
Black

Field Tile

HAL-20B/RYS-1~RYS-3

Material	Porcelain/Unlazed
Size/pc	222.5×19.5 mm / 8.76"×0.77" 70.5×19.5 mm / 2.78"×0.77"
Size/sht	300×300 mm / 11.81"×11.81"
Thickness	10 mm , 13mm Mix
Joint	1.9 mm (Hor) / 2 mm (Vert)
Sqr/Box	1.07 sqm / 11.51 sq.ft.
Qty/Box	12 shts
Wgt/Box	21.1 kg / 46.4 lbs
Mounting	Back net (Glass fiber)



Modular Size

TRIM/CORNERS

External Corner Tile

HAL-C/RYS-1~RYS-3

Material	Porcelain (Unglazed)
Size/pc	141.5×19.5 mm / 5.57"×0.77" 70.5×19.5 mm / 2.78"×0.77"
Size/sht	143.5×300 mm / 5.65"×11.81"
Thickness	10 mm , 13mm Mix
Joint	1.9 mm (Hor) / 2 mm (Vert)
m.ft/Box	3.60 m / 11.81 ft
Qty/Box	24 shts
Wgt/Box	15.8 kg / 34.8 lbs
Mounting	Back net (Glass fiber)



External Corner



RECOMMENDATIONS

Commercial Wall	Interior Wall	Shower Wall	Exterior Floor	Shower Floor
Yes	Yes	No	No	No

SHADE VARIATIONS

			
—	RYS-1, RYS-2, RYS-3	—	—

*Please note: variations in color, shade, surface texture and size are natural characteristics of all our products and should be expected. Images shown are representative, but may not indicate all variations in these characteristics.

MAINTENANCE

- First, clean tiles with a damp sponge or soft brush with plain water prior to utilizing
- If dirt persists, wipe the area with mild detergent and water on a sponge or soft brush. Rinse with clean water.
- Do not use acid or alkaline solution to clean tile.
- Do not use steel pads or brushes to clean tile as it may cause surface damage.
- Paint or graffiti can be removed using thinners.
- Consult professional service for more extensive cleaning needs.

For more details,
please visit our website.

